

Certificate of Analysis

Produced: Jul 21, 2025

Sample: P&B: 60ml CBD Hemp Body Oil (Topical) • Client: Strawberry Peak Branch • Batch: Pass



Batch No.: D5135 EXP 05/19/27
Matrix: Topical
Density: 0.9086 g/ml
Sample ID: ICC-250610-54-001
Collected on: Jun 10, 2025
Received on: Jun 10, 2025
Batch Size: 2 Units
Sample Size:
Package Size: 57.27 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Δ ⁹ -THC:	8.88 mg/pkg
CBD:	543 mg/pkg
Total Cannabinoids:	601 mg/pkg
Sum of Cannabinoids:	600 mg/pkg

POT-INST-005: POT-INST-005: Expanded Potency

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC	25.8	0.0450	0.41	0.0258/0.0772	N/A	CBN	12.3	0.0215	0.20	0.00890/0.0391	N/A
CBCA		ND	ND	0.0362/0.108	N/A	CBNA		ND	ND	0.0133/0.0398	N/A
CBCV		ND	ND	0.0112/0.0391	N/A	CBT		ND	ND	0.0112/0.0391	N/A
CBD	543	0.948	8.6	0.00788/0.0391	N/A	Δ ⁸ -THC		ND	ND	0.00631/0.0391	N/A
CBDA		ND	ND	0.0188/0.0565	N/A	Δ ⁹ -THC	8.88	0.0155	0.14	0.0104/0.0391	N/A
CBDV		ND	ND	0.00624/0.0391	N/A	THCA		ND	ND	0.0144/0.0430	N/A
CBDVA		ND	ND	0.0204/0.0613	N/A	THCV		ND	ND	0.00482/0.0391	N/A
CBG	10.6	0.0185	0.17	0.00890/0.0391	N/A	THCVA		ND	ND	0.0155/0.0468	N/A
CBGA		ND	ND	0.0139/0.0417	N/A	Total THC**	8.88	0.0155	0.14		N/A
CBL		ND	ND	0.00614/0.0391	N/A	Total CBD**	543	0.948	8.6		N/A
CBLA		ND	ND	0.0853/0.256	N/A	Total Cannabinoids**	600	1.05	9.5		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Jun 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.509	Pass	Hexane	290	ND	0.0660/0.281	Pass
Acetone	5000	< LOQ	17.1/51.2	Pass	Isopropyl alcohol		86.6	1.28/3.84	N/A
Acetonitrile	410	ND	0.120/0.359	Pass	Methanol	3000	< LOQ	2.97/8.91	Pass
Benzene	1	ND	0.0210/0.0639	Pass	Methylene chloride	1	ND	0.127/0.729	Pass
Butane	5000	ND	0.971/4.85	Pass	Pentane	5000	ND	0.962/4.27	Pass
Chloroform	1	ND	0.0360/0.108	Pass	Propane	5000	ND	4.43/13.3	Pass
Ethanol		< LOQ	2.61/7.84	N/A	Toluene	890	1.91	0.0880/0.864	Pass
Ethyl acetate	5000	ND	0.313/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.579	Pass	o-Xylene		ND	0.101/0.857	N/A
Ethyl ether	5000	ND	1.18/3.55	Pass	p- and m-Xylene		ND	0.115/1.71	N/A
Heptane	5000	ND	0.687/2.86	Pass	Total xylenes	2170	ND		Pass

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Jun 11, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	< LOQ	0.00500/0.0140	Pass

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Jun 12, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jun 12, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.94/5.88	N/A	Aflatoxin G2		ND	1.54/5.00	N/A
Aflatoxin B2		ND	2.65/8.04	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	3.91/11.9	N/A	Ochratoxin A	20	ND	4.78/14.5	Pass

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Colorado Pesticides by GC-MS/MS • Jun 13, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan		ND	0.118/0.353	N/A	Fenvalerate		ND	0.134/0.402	N/A
β-Endosulfan		ND	0.0797/0.239	N/A	Iprodione		ND	0.158/0.475	N/A
Chlorfenapyr	Any amt	ND	0.00814/0.0244	Pass	Kinoprene		ND	0.0738/0.221	N/A
Cyfluthrin	1	ND	0.0128/0.0384	Pass	Methyl parathion	Any amt	ND	0.00857/0.0257	Pass
Cypermethrin	1	ND	0.0175/0.0525	Pass	MGK-264 I		ND	0.00152/0.00457	N/A
Endosulfan sulfate		ND	0.00856/0.0257	N/A	MGK-264 II		ND	0.00392/0.0118	N/A
Etridiazole		ND	0.0147/0.0441	N/A	Quintozene		ND	0.00533/0.0160	N/A



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Colorado Pesticides by LC-MS/MS • Jun 12, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Hexythiazox	2	ND	0.0100/0.0300	Pass
Acephate	5	ND	0.0100/0.0300	Pass	Imazalil	Any amt	ND	0.00500/0.0100	Pass
Acequinocyl	4	ND	0.0200/0.0750	Pass	Imidacloprid	3	ND	0.00500/0.0100	Pass
Acetamiprid	5	ND	0.0100/0.0300	Pass	Kresoxim-methyl	1	ND	0.0100/0.0300	Pass
Aldicarb	Any amt	ND	0.0100/0.0300	Pass	Malathion	5	ND	0.00500/0.0100	Pass
Allethrin		ND	0.0150/0.0300	N/A	Metalaxyl	15	ND	0.00500/0.0100	Pass
Atrazine		ND	0.00500/0.00500	N/A	Methiocarb	Any amt	ND	0.00500/0.0100	Pass
Azadirachtin		ND	0.0300/0.0500	N/A	Methomyl	0.1	ND	0.0100/0.0250	Pass
Azoxystrobin	40	ND	0.00500/0.0100	Pass	Methoprene		ND	0.0250/0.0500	N/A
Benzovindiflupyr		ND	0.00500/0.00500	N/A	Mevinphos	Any amt	ND	0.0100/0.0250	Pass
Bifenazate	5	ND	0.00500/0.0100	Pass	Myclobutanil	9	ND	0.00500/0.0100	Pass
Bifenthrin	0.5	ND	0.00500/0.0300	Pass	Naled	0.5	ND	0.0200/0.0300	Pass
Boscalid	10	ND	0.00500/0.0100	Pass	Novaluron		ND	0.0100/0.0200	N/A
Buprofezin		ND	0.0150/0.0300	N/A	Oxamyl	0.2	ND	0.0200/0.0300	Pass
Carbaryl	0.5	ND	0.0100/0.0250	Pass	Paclobutrazol	Any amt	ND	0.00500/0.0100	Pass
Carbofuran	Any amt	ND	0.00500/0.0100	Pass	Permethrin	20	ND	0.00396/0.0300	Pass
Chlorantraniliprole	40	ND	0.0100/0.0300	Pass	Phenothrin		ND	0.0150/0.0300	N/A
Chlorpyrifos	Any amt	ND	0.0100/0.0750	Pass	Phosmet	0.2	ND	0.0200/0.0300	Pass
Clofentezine	0.5	ND	0.00500/0.0100	Pass	Piperonylbutoxide	8	ND	0.0100/0.0300	Pass
Clothianidin		ND	0.00500/0.0100	N/A	Pirimicarb		ND	0.00500/0.0100	N/A
Coumaphos	Any amt	ND	0.00500/0.0100	Pass	Prallethrin	0.4	ND	0.0300/0.0750	Pass
Cyantraniliprole		ND	0.00500/0.0100	N/A	Propiconazole	20	ND	0.0100/0.0300	Pass
Cyhalothrin lambda		ND	0.0300/0.0500	N/A	Propoxur	Any amt	ND	0.00500/0.0100	Pass
Cyprodinil		ND	0.00500/0.0100	N/A	Pyraclostrobin		ND	0.00500/0.0100	N/A
Daminozide	Any amt	ND	0.0500/0.0750	Pass	Pyrethrins	1	ND	0.00357/0.0300	Pass
Deltamethrin		ND	0.0250/0.0500	N/A	Pyridaben	3	ND	0.0100/0.0200	Pass
Diazinon	0.2	ND	0.0100/0.0300	Pass	Pyriproxyfen		ND	0.00500/0.0100	N/A
Dichlorvos	Any amt	ND	0.0200/0.0500	Pass	Resmethrin		ND	0.0250/0.0500	N/A
Dimethoate	Any amt	ND	0.00500/0.0100	Pass	Spinetoram	3	ND	0.00317/0.0300	Pass
Dimethomorph	20	ND	0.0100/0.0300	Pass	Spinosad	3	ND	0.00302/0.0300	Pass
Dinotefuran		ND	0.0250/0.0500	N/A	Spirodiclofen		ND	0.0250/0.0500	N/A
Diuron		ND	0.00500/0.0100	N/A	Spiromesifen	12	ND	0.0100/0.0300	Pass
Dodemorph		ND	0.0100/0.0200	N/A	Spirotetramat	13	ND	0.00500/0.0100	Pass
Ethoprophos	Any amt	ND	0.00500/0.0100	Pass	Spiroxamine	Any amt	ND	0.0200/0.0300	Pass
Etofenprox	Any amt	ND	0.0100/0.0300	Pass	Tebuconazole	2	ND	0.00500/0.0100	Pass
Etoxazole	1.5	ND	0.0100/0.0300	Pass	Tebufenozide		ND	0.00500/0.0100	N/A
Fenhexamid	10	ND	0.0200/0.0450	Pass	Teflubenzuron		ND	0.0100/0.0200	N/A
Fenoxycarb	Any amt	ND	0.00500/0.0100	Pass	Tetrachlorvinphos		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.0100/0.0300	Pass	Tetramethrin		ND	0.0250/0.0500	N/A
Fensulfothion		ND	0.00500/0.0100	N/A	Thiabendazole		ND	0.00500/0.0100	N/A
Fenthion		ND	0.00227/0.00680	N/A	Thiacloprid	Any amt	ND	0.00500/0.0100	Pass
Fipronil	Any amt	ND	0.00500/0.0100	Pass	Thiamethoxam	4.5	ND	0.00500/0.0100	Pass
Flonicamid	2	ND	0.0100/0.0250	Pass	Thiophanate-methyl		ND	0.0100/0.0200	N/A
Fludioxonil	30	ND	0.00500/0.0100	Pass	Trifloxystrobin	30	ND	0.00500/0.0100	Pass
Fluopyram		ND	0.00500/0.00500	N/A					



Signature